



Flight Light Inc.
2708 47th Ave.
Sacramento, California, U.S.A.
95822-3806

PH (916) 394-2800 FX (916) 394-2809
TF (800) 806-3548 EM info@flightlight.com

Lamps for Airfield Applications



Fig. 1




Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8



Fig. 9



Fig. 10

| Fig. | Part number | MOL | Watt | Description | Lamp Life (hrs) | Case |
|------|-------------|-------------|------|--------------------------------------|-----------------|------|
| 1 | LA-12V/20W | 1.5"(T2.5) | 20 | Qtz Lamp Assembly (for LOVA signs) | 2000 | N/A |
| 2 | LA-11478 | 1.75"(T3.5) | 30 | 6.6A, EXL, Qtz | 1000 | 24 |
| 2 | LA-11482 | 1.75"(T3.5) | 45 | 6.6A, EXM, Qtz | 1000 | 24 |
| 3 | LA-10099 | 2.5"(T4) | 120 | 6.6A, EVV, Qtz | 500 | 24 |
| 3 | LA-11427 | 2.5"(T4) | 150 | 6.6A, EWR, Qtz | 500 | 24 |
| 3 | LA-15243 | 2.5"(T4) | 200 | 6.6A, EZL, Qtz | 500 | 24 |
| 3 | LA-40702 | 2.5"(T4) | 200 | 6.6A, Q200T4/CL, GY9.5 | 500 | 12 |
| 3 | LA-40925 | 2.5"(T4) | 150 | 6.6A, EWR, Qtz, GZ9.5 | 500 | 24 |
| 4 | LA-6134 | 1.85"(T4) | 45 | 6.6A EXM, Bi-pin, GZ9.5 | 1500 | 100 |
| 4 | LA-6292 | 2.44"(T4) | 150 | 6.6A, EWR, GY9.5, Qtz | 750 | |
| 4 | LA-6372 | 2.44"(T4) | 200 | 6.6A, EZL, Bi-pin, GZ9.5 | 750 | 100 |
| 5 | LA-88525 | 9-1/4"(T20) | 1000 | 120V, 1M/T20/BP, Mogul Bi-Post (G38) | 250 | 12 |
| 6 | LA-6343 | 1.85"(T4) | 100 | 6.6A, G6.35, Qtz | 1200 | |
| 6 | LA-6373 | 1.85"(T4) | 200 | 6.6A, G6.35, Qtz | 1200 | |
| 6 | LA-J1/57 | 1.85"(T4) | 45 | 6.6A, G6.35, Qtz | 1200 | 100 |
| 6 | LA-J1/58 | 1.85"(T4) | 100 | 6.6A, G6.35, Qtz | 1200 | 100 |
| 6 | LA-J1/75 | 1.85"(T4) | 36 | 6.6A, G6.35, Qtz | 1200 | 100 |
| 7 | LA-59079 | 2.3"(T4) | 150 | 6.6A, PK30d, male leads | 1000 | |
| 7 | LA-64341Z | 2.3"(T4) | 100 | 6.6A, PK30d, male leads | 1500 | |
| 7 | LA-J1/76 | 2.3"(T4) | 45 | 6.6A, PK30d, male leads | 1000 | |
| 7 | LA-J1/77 | 2.3"(T4) | 45 | 6.6A, PK30d, male leads | 1000 | |
| 7 | LA-J1/80 | 2.3"(T4) | 100 | 6.6A, PK30d, male leads | 1500 | |
| 8 | LA-6130 | 2.3"(T4) | 45 | 6.6A, PK30d, female leads | 1000 | |
| 8 | LA-J1/83 | 2.3"(T4) | 150 | 6.6A, PK30d, female leads | 1000 | |
| 9 | LA-6303 LL | 2.283" | 45 | 6.6A, PK30d, male leads | 2000 | 100 |
| 9 | LA-6313 | 2.283" | 200 | 6.6A, PK30d, male leads | 1000 | |
| 9 | LA-6392 LL | 2.283" | 150 | 6.6A, PKX30d, male leads | 2000 | 100 |
| 10 | LA-14473 | 2-3/8"(T4) | 45 | 6.6A, Qtz, DCR | | |
| 10 | LA-23860 | 2-3/8"(T4) | 200 | 6.6A, Qtz, DCR | 500 | 12 |

T=Tube. Multiply T# by 1/8" to get diameter.

Visit our web site: www.flightlight.com



Flight Light Inc.
 2708 47th Ave.
 Sacramento, California, U.S.A.
 95822-3806

PH (916) 394-2800
 TF (800) 806-3548

FX (916) 394-2809
 EM info@flightlight.com

Lamps for Airfield Applications



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16



Fig. 17



Fig. 18



Fig. 19



Fig. 20



Fig. 21

| Fig. | Part number | MOL | Watt | Description | Lamp Life (hrs) | Case |
|------|-------------|---------------|-------|--|-----------------|------|
| 11 | LA-23710 | 2.56"(T4) | 150 | Q150T4/CL | 3000 | 12 |
| 12 | LA-J1/78 | 1.87" | 45 | 45W, 6.6A, R7s | 1000 | 100 |
| 13 | LA-6142 | 1.77"(MR16) | 62 | 6.6A, MR16, Bi-Pin, GX5.3 | 1500 | 100 |
| 13 | LA-20590 | 1-7/8"(MR16) | 62 | 6.6A, MR16, without leads | | |
| 13 | LA-20839 | 1-7/8"(MR16) | 50 | Q50MR16/NSP-12V | 6000 | 20 |
| 13 | LA-23071 | 1-7/8"(MR16) | 45 | 6.6A, MR16, EZC | 1000 | 20 |
| 14 | LA-64826 | 1-7/8"(MR16) | 50 | MR16, 230V | | |
| 15 | LA-008084 | 1-7/8"(MR16) | 50 | MR16, 120V | 2000 | 15 |
| 16 | LA-008065 | 1-7/8"(MR16) | 48/49 | 6.6A, MR16, twin male leads | 1500 | |
| 16 | LA-008072 | 1-7/8"(MR16) | 105 | 6.6A, MR16, twin male leads | 1500 | |
| 16 | LA-6104 | 1.46"(MR11) | 40 | 6.6A, MR11, twin male leads | 1500 | |
| 17 | LA-008075 | 1-7/8"(MR16) | 105 | 6.6A, MR16, twin female leads | 1500 | |
| 17 | LA-008079 | 1-7/8"(MR16) | 48 | 6.6A, MR16, twin female leads | 1500 | |
| 17 | LA-20624 | 1-7/8"(MR16) | 62 | 6.6A, MR16, 12" twin female leads | | |
| 17 | LA-6101 | 1.77"(MR16) | 48 | 6.6A, MR16, twin female leads | 1500 | |
| 17 | LA-6105 | 1.77"(MR16) | 105 | 6.6A, MR16, twin female leads | 1000 | |
| 17 | LA-6141 | (MR16) | 62 | 6.6A, MR16, twin female leads | 1500 | 100 |
| 18 | LA-6138 | 1.77"(MR16) | 48 | 6.6A, MR16, male/female leads | 500 | 100 |
| 18 | LA-LA000004 | 1-7/8"(MR16) | 105 | 6.6A, MR16, male/female leads, insulating sleeve | 1000 | |
| 18 | LA-LA000011 | 1-7/8"(MR16) | 48 | 6.6A, MR16, male/female leads, insulating sleeve | 1000 | |
| 19 | LA-7654H | 3.85"(T10) | 45 | 6.6A, T10, P28s | 2000 | 100 |
| 19 | LA-7669H | 3.85"(T10) | 30 | 6.6A, T10, P28s | 2000 | 100 |
| 20 | LA-23294 | 3-15/16"(T10) | 30 | 6.6A, T10/1P | 1000 | 60 |
| 20 | LA-23295 | 3-15/16"(T10) | 45 | 6.6A, T10/1P | 1000 | 60 |
| 21 | LA-23300 | 5.75"(T14) | 204 | 6.6A, T14/2P | 500 | 24 |

T=Tube. Multiply T# by 1/8" to get diameter.

Visit our web site: www.flightlight.com



Flight Light Inc.
2708 47th Ave.
Sacramento, California, U.S.A.
95822-3806

PH (916) 394-2800 FX (916) 394-2809
TF (800) 806-3548 EM info@flightlight.com

Lamps for Airfield Applications



Fig. 22



Fig. 23



Fig. 24



Fig. 25



Fig. 26



Fig. 27



Fig. 28



Fig. 29



Fig. 30

| Fig. | Part number | MOL | Watt | Description | Lamp Life (hrs) | Case |
|------|-----------------|--------------------|------|----------------------------|-----------------|------|
| 22 | LA-10387 | 5.25", PAR38 | 120 | 120V, PAR38 | | |
| 22 | LA-15937 | 5.25", PAR38 | 45 | 6.6A, PAR38 | 800 | 12 |
| 22 | LA-16138 | 5.3"(D=4.75")PAR38 | 75 | 120V, PAR38, E26, Qtz | 2500 | |
| 22 | LA-18631 | 5.31", PAR38 | 100 | 100PAR38/HIR/FL25 | 3000 | 12 |
| 23 | LA-23310 | 4.5"(D=7")PAR56 | 45 | 6.6A, PAR56/5 | 1000 | 12 |
| 23 | LA-23863 | 4.5"(D=7")PAR56 | 500 | Q20A, PAR56/3 | 500 | 12 |
| 23 | LA-32861 | 4.5"(D=7")PAR56 | 300 | Q20A, PAR56/2 | 500 | 12 |
| 23 | LA-PAR56/120W/H | 4.5"(D=7")PAR56 | 120 | Strobe, PAR56 | 1000 | 12 |
| 23 | LA-PAR56/3 | 4.5"(D=7")PAR56 | 200 | Q6.6A, PAR56/3 | | |
| 24 | LA-15482 | 5"(D=7")PAR56 | 300 | Q20A, PAR56/C | 500 | 12 |
| 24 | LA-15485 | 5"(D=7")PAR56 | 500 | Q20A, PAR56/1/C | 500 | 12 |
| 24 | LA-38271 | 5"(D=7")PAR56 | 200 | Q6.6A, PAR56/2 | 1000 | 12 |
| 25 | LA-13224 | 4.5"(D=8")PAR64 | 200 | Q6.6A, PAR64/2P(VASI) | 2000 | 6 |
| 25 | LA-43497 | 4.5"(D=8")PAR64 | 1000 | Q1000PAR64-NSP-120V | 4000 | 6 |
| 26 | LA-116w/230 | (A21) | 116 | 230V, A21, screw base | 8000 | |
| 26 | LA-12496-1 | 4.37"(A21) | 69 | 120V, 69A21/TS, screw base | 8000 | |
| 26 | LA-16385 | 4-3/8"(A21) | 50 | 50A21, 30V(sign) | 1000 | 120 |
| 26 | LA-16997 | 4-7/8"(A21) | 60 | 60A21/B | 1000 | 120 |
| 26 | LA-17625 | 5-1/4"(A21) | 150 | 150A21/RS | 1000 | 60 |
| 26 | LA-17960 | 4-3/8"(A21) | 54 | 60A21/54WM/TS | 8000 | 120 |
| 26 | LA-22483-2 | 4.44"(A21) | 116 | 120V, A21/TS, screw base | 8000 | |
| 26 | LA-97470 | 4-7/16"(A19) | 40 | 40A/CL, 24PK, 120V | 1500 | 120 |
| 27 | LA-21950 | 10-7/16"(PS40) | 620 | 620PS40P, 120V | 3000 | 24 |
| 27 | LA-700120 | 10-7/16"(PS40) | 700 | 700PS40P, 120V | | |
| 27 | LA-700230 | 10-7/16"(PS40) | 700 | 700PS40P, 230V | 8000 | |
| 28 | LA-18902 | 5.75" | 175 | MVR175/U/MED | 6000 | 6 |
| 29 | LA-43828 | 11.5" | 400 | MVR400/U | 15000 | 6 |
| 30 | LA-44058 | 15.06" | 1000 | LU1000/ECO | +24000 | 6 |

If you don't see what you need - call us and we will find it for you!

Flight Light stocks lamps for all airport lighting applications: runway, taxiway, approach, helipad, obstruction. We sell only first quality name-brand lamps, including GE, Osram/Sylvania, Philips (DBA Narva) and Amglo.

Visit our web site: www.flightlight.com