



Flight Light Inc.
2708 47th Ave.
Sacramento, California, U.S.A.
95822-3806



Runway Guard Light
H-Series Type: L-852-G
Honeywell

PH (916) 394-2800 FX (916) 394-2809
TF (800) 806-3548 EM info@flightlight.com

Runway Guard Light

Type: L-852G

Compliant with:


FAA Advisory Circular AC150/5345-46B, Class 2, Style 3.

USE


The Honeywell Runway Guard Lights are used to identify an intersection of a taxiway with an active runway. The Honeywell runway guard lights are recommended for use when visibility is less than 1200 feet Runway Visual Range (RVR), but may be used under better visibility conditions to enhance visibility of ambiguous hold positions. Prisms are non-field replaceable.

FEATURES

- Fixture rises a maximum of 0.250 inch above the surface finish.
- Light fixture is a uni-directional fixture with one (1) 105-watt halogen lamp.
- Can be used for any FAA Category I, Category II, Category III, ICAO, or Military runway guard applications.
- Light housing is made from a one-piece aluminum casting making it lightweight (14 lb).
- Mounts on a standard size L-868B base whose top surface is 0.750 inch below the surface finish.



OUTLINE DRAWING



Visit our web site: www.flightlight.com




Flight Light Inc.
 2708 47th Ave.
 Sacramento, California, U.S.A.
 95822-3806



PH (916) 394-2800 FX (916) 394-2809
TF (800) 806-3548 EM info@flightlight.com

Runway Guard Light
H-Series Type: L-852-G
Honeywell

H 8 5 2 G - U E - S Z X - - - - -



Runway Guard Light Part Numbers

Part No	Description
H852G-UE-SZX	Uni-directional, Traffic Yellow, 1x105 W Lamps

Runway Guard Light Dimensions and Shipping Information

Dimensions	Shipping
Size: 11.94 in. dia x 4.37 in. deep	Shipping Volume: 0.7 cu ft
Weight: 17 lbs	Shipping Weight: 20 lbs

For options or requirements not listed above, please contact the factory.

Runway Guard Light Spare Parts and Accessories

Part Number	Description
40F00105	105 W Harness Lamp
24F00120-04T	Yellow Traffic
1AL33MSPLKIT	Heatshrink Tubing(Qty 1)
ET10066601	100 W 6.6/6.6 A Isolation Transformer
EK54D4D4	Primary Connector Kit No. 8

Runway Guard Light Isolation Transformer Requirements

Uni-directional	100 W, 6.6 A Secondary
-----------------	------------------------

Visit our web site: www.flightlight.com